

11/17/00

PATENT APPLICATION TRANSMITTAL LETTER
(Small Entity)

Docket No.
002/6

TO THE ASSISTANT COMMISSIONER FOR PATENTS

Transmitted herewith for filing under 35 U.S.C. 111 and 37 C.F.R. 1.53 is the patent application of:

YONATAN PESACH STERN AND EMIL SHTEINVIL

For: **SYSTEM AND METHOD FOR DATA PUBLICATION THROUGH WEB PAGES**

Enclosed are:

- ☐ Certificate of Mailing with Express Mail Mailing Label No.
- ☒ 5 sheets of drawings.
- ☐ A certified copy of a application.
- ☒ Declaration ☒ Signed. ☐ Unsigned.
- ☒ Power of Attorney
- ☐ Information Disclosure Statement
- ☐ Preliminary Amendment
- ☒ 1 Verified Statement(s) to Establish Small Entity Status Under 37 C.F.R. 1.9 and 1.27.
- ☒ Other: **ASSIGNMENT (\$40)**

CLAIMS AS FILED

For	#Filed	#Allowed	#Extra	Rate	Fee
Total Claims	22	- 20 =	2	x \$10.00	\$20.00
Indep. Claims	2	- 3 =	0	x \$40.00	\$0.00
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					\$0.00
BASIC FEE					\$355.00
TOTAL FILING FEE					\$375.00

- ☒ A check in the amount of **\$415.00** to cover the filing fee is enclosed.
- ☐ The Commissioner is hereby authorized to charge and credit Deposit Account No. as described below. A duplicate copy of this sheet is enclosed.
 - ☐ Charge the amount of as filing fee.
 - ☐ Credit any overpayment.
 - ☐ Charge any additional filing fees required under 37 C.F.R. 1.16 and 1.17.
 - ☐ Charge the issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance, pursuant to 37 C.F.R. 1.311(b).

Dated:

11/17/00



Signature

D'VORAH GRAESER
REG. NO. 40,000
C/O THE POLKINGHORNS
9003 FLORIN WAY
UPPER MARLBORO
MARYLAND 20772
USA

cc:

VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS (37 CFR 1.9(f) AND 1.27 (c)) - SMALL BUSINESS CONCERN			Docket No. 002/6
Serial No.	Filing Date	Patent No.	Issue Date
Applicant/ YONATAN PESACH STERN AND EMIL SHTEINVIL Patentee:			
Invention: SYSTEM AND METHOD FOR DATA PUBLICATION THROUGH WEB PAGES			
<p>I hereby declare that I am:</p> <p><input type="checkbox"/> the owner of the small business concern identified below:</p> <p><input checked="" type="checkbox"/> an official of the small business concern empowered to act on behalf of the concern identified below:</p> <p>NAME OF CONCERN: <u>OLIVE SOFTWARE INC.</u></p> <p>ADDRESS OF CONCERN: <u>402 SPRING VALLEY ROAD, ALTAMONTE SPRINGS, FLORIDA 32714, USA</u></p> <p>I hereby declare that the above-identified small business concern qualifies as a small business concern as defined in 13 CFR 121.3-18, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees under Section 41(a) and (b) of Title 35, United States Code, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.</p> <p>I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the above identified invention described in:</p> <p><input checked="" type="checkbox"/> the specification filed herewith with title as listed above.</p> <p><input type="checkbox"/> the application identified above.</p> <p><input type="checkbox"/> the patent identified above.</p> <p>If the rights held by the above-identified small business concern are not exclusive, each individual, concern or organization having rights to the invention is listed on the next page and no rights to the invention are held by any person, other than the inventor, who could not qualify as an independent inventor under 37 CFR 1.9(c) or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).</p>			

APPLICATION FOR PATENT

Inventors: Yonatan Pesach Stern and Emil Shteinvil

Title: SYSTEM AND METHOD FOR DATA PUBLICATION
THROUGH WEB PAGES

5

FIELD AND BACKGROUND OF THE INVENTION

The present invention relates to a system and a method for the publication of data through Web pages, and in particular, for such a system and method in which data is automatically converted to a format which is
10 suitable for direct publication as a Web page.

As the Internet grows, many different types of Web sites are becoming connected and therefore are available to users. A Web site refers to a type of graphical document presentation which is available through the “World Wide Web”, or simply “Web”, which may also be viewed as a subset
15 of the content which is generally available through the Internet. These Web sites may contain information which is of interest to users, such as news for example. Indeed, many Internet users today obtain at least a portion of their news information from Web sites which publish such information.

Traditional newspapers and other sources of news have therefore been
20 forced to embrace the new media which is represented by Web pages.

Currently, many traditional (print) newspapers have Web sites which contain at least a portion of the news and information which is available through the print version of the newspaper. However, managing such Web sites can be cumbersome, since currently there is no simple mechanism for converting

data which is available as the printed newspaper, into a format which can be directly published through the Web site. Indeed, typically newspaper publishers currently produce content for the Web site by manually reformatting the newspaper data into a format which is suitable for Web pages. Therefore, the content which is available at the Web site tends to be a relatively limited subset of the total content of the newspaper, with a structure which is not necessarily suitable for the Web site, but instead tends to reflect the structure of the printed newspaper. Thus, given the relatively limited nature of the content of the Web site, and the limited interaction with that content which is provided through the Web pages, newspapers have generally been unsuccessful at charging for the content which is available through the Web site. Indeed, the Web site may even compete with the newspaper for paying readers, thus potentially even harming the economic interests of the newspaper.

A more useful solution to this problem would enable the newspaper to more easily and more cost effectively publish news and other information through the Web site, by providing a mechanism for directly publishing the newspaper data in a format suitable for Web pages, thereby reducing the expenses associated with the maintenance of the Web site. In addition, this solution would also enable the newspapers to publish more news and information through the Web site, in a more elaborate and user-friendly layout format, such that the content of the Web site would be of greater interest to the readers of the newspaper. Such enhanced content could even

be suitable for being sold by the newspaper, such that the newspaper could charge for access to the Web site content. Thus, rather than reducing the income of the newspaper, the Web site could even increase the number of paying readers and hence increase the income of the newspaper, for example

5 by enabling international subscribers to receive a subscription to the Web site of the newspaper who would otherwise have difficulty obtaining the printed version.

Therefore, there is an unmet need for, and it would be highly useful to have, a system and a method for publishing data through Web pages, such

10 that the data is automatically converted to a format which is suitable for publication as a Web page, preferably through the XML (extensible mark-up language) mark-up language, and such that the structure of the published content uses the interactive capabilities of the Web page to their fullest extent.

15

SUMMARY OF THE INVENTION

The present invention is of a system and a method for publishing a newspaper page or other data through a Web page, such that the information can be made available more easily through a network such as the Internet.

20 The data is automatically converted to the Web page format by first rendering the newspaper page into a digital format; converting the digital format to a basic internal publishing format; and then publishing the data in any one of a number of different possible publishing formats, including but

not limited, a mark-up language document such as a Web page for example. Optionally and preferably, according to the present invention, the newspaper page is viewed as a collection of individual objects, which are organized according to a particular order on the printed newspaper page. Examples of such objects include, but are not limited to, a picture, a story, a headline, advertisements and so forth. With regard to each article, additional examples include, but are not limited to, roof title, abstract, subtitle, lead, caption, continuation, byline and so forth.

According to preferred embodiments of the present invention, the structure of the published content uses the interactive capabilities of the Web page to their fullest extent, by enabling the user to view different portions of the content in any desired order, with links between these portions being made according to the information in the content and/or according to the type of content, rather than according to an arbitrary structure imposed according to the requirements of the printed newspaper. In addition, optionally and preferably, the user is able select different portions of the newspaper content for viewing according to a structure and/or order which is requested by the user, rather than being imposed by the publisher. Thus, for example, the above newspaper objects on the newspaper page are optionally selected and/or rearranged according to the request of the user.

According to the present invention, there is provided a method for automatically publishing data in a final publication format, the method comprising the steps of: (a) analyzing the data to decompose the data into a

plurality of objects; (b) converting each object to an internal publication format; and (c) rendering the internal publication format in the final publication format.

According to another embodiment of the present invention, there is
5 provided a system for automatically publishing data in a computerized format, the system comprising: (a) a source of the data in a digital format; (b) a mark-up language distiller module for converting the data in the digital format to a mark-up language format; and (c) a publisher server for
10 converting the data from the mark-up language format to a final publication format.

Hereinafter, the term "network" refers to a connection between any two or more computational devices which permits the transmission of data.

Hereinafter, the term "computational device" includes, but is not limited to, personal computers (PC) having an operating system such as
15 DOS, Windows™, OS/2™ or Linux; Macintosh™ computers; computers having JAVA™-OS as the operating system; graphical workstations such as the computers of Sun Microsystems™ and Silicon Graphics™, and other computers having some version of the UNIX operating system such as AIX™ or SOLARIS™ of Sun Microsystems™; or any other known and
20 available operating system, or any device, including but not limited to: laptops, hand-held computers, PDA (personal data assistant) devices, cellular telephones, any type of WAP (wireless application protocol) enabled device, wearable computers of any sort, which can be connected to a network as

previously defined and which has an operating system. Hereinafter, the term “Windows™” includes but is not limited to Windows95™, Windows NT™, Windows98™, Windows CE™, Windows2000™, and any upgraded versions of these operating systems by Microsoft Corp. (USA).

5 For the present invention, a software application could be written in substantially any suitable programming language, which could easily be selected by one of ordinary skill in the art. The programming language chosen should be compatible with the computational device according to which the software application is executed. Examples of suitable
10 programming languages include, but are not limited to, C, C++ and Java.

 In addition, the present invention could be implemented as software, firmware or hardware, or as a combination thereof. For any of these implementations, the functional steps performed by the method could be described as a plurality of instructions performed by a data processor.

15 Hereinafter, the term "Web browser" refers to any software program which can display text, graphics, or both, from Web pages on World Wide Web sites. Hereinafter, the term “Web server” refers to a server capable of transmitting a Web page to the Web browser upon request.

 Hereinafter, the term "Web page" refers to any document written in a
20 mark-up language including, but not limited to, HTML (hypertext mark-up language) or VRML (virtual reality modeling language), dynamic HTML, XML (extensible mark-up language) or XSL (XML styling language), or related computer languages thereof, as well as to any collection of such

documents reachable through one specific Internet address or at one specific World Wide Web site, or any document obtainable through a particular URL (Uniform Resource Locator). Hereinafter, the term "Web site" refers to at least one Web page, and preferably a plurality of Web pages, virtually connected to

5 form a coherent group.

Hereinafter, the phrase "display a Web page" includes all actions necessary to render at least a portion of the information on the Web page available to the computer user. As such, the phrase includes, but is not limited to, the static visual display of static graphical information, the

10 audible production of audio information, the animated visual display of animation and the visual display of video stream data.

BRIEF DESCRIPTION OF THE DRAWINGS

The invention is herein described, by way of example only, with

15 reference to the accompanying drawings, wherein:

FIG. 1 is a schematic block diagram of an exemplary system according to the present invention;

FIG. 2 is a flowchart of an illustrative method according to the present invention; and

20 FIG. 3 shows an exemplary basic layout of a newspaper page after being processed by the method of the present invention.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

The present invention is of a system and a method for publishing a newspaper page or other data through a Web page, such that the information can be made available more easily through a network such as the Internet.

- 5 The data is automatically converted to the Web page format by first rendering the newspaper page into a digital format; converting the digital format to a basic internal publishing format; and then publishing the data in any one of a number of different possible publishing formats, including but not limited, a mark-up language document such as a Web page for example.
- 10 However, as described with regard to the preferred embodiments below, the present invention does not merely convert the data from one format to a different format, but instead is able to also provide at least a basic structure for organizing the data into the Web page.

- 15 According to preferred embodiments of the present invention, the structure of the published content uses the interactive capabilities of the Web page to their fullest extent, by enabling the user to view different portions of the content in any desired order, with links between these portions being made according to the information in the content and/or according to the type of content, rather than according to an arbitrary structure imposed
- 20 according to the requirements of the printed newspaper. In addition, optionally and preferably, the user is able select different portions of the newspaper content for viewing according to a structure and/or order which is requested by the user, rather than being imposed by the publisher.

The present invention optionally and preferably realizes these goals by providing a method for automatic recognition of objects on the newspaper page, which are then published to the Web. Therefore, the newspaper page is viewed as a collection of individual objects, which are organized

5 according to a particular order on the printed newspaper page. Examples of such objects include, but are not limited to, a picture, a story, a headline, advertisements and so forth. With regard to each article, additional examples include, but are not limited to, roof title, abstract, subtitle, lead, caption, continuation, byline and so forth. These objects may optionally be

10 rearranged according to any desired order for the Web page, and are preferably not limited only to the order which is required for printing on the printed paper version of the newspaper. Optionally and more preferably, the objects are first classified according to different types, for example according to the type of content, before being organized into the Web page.

15 The principles and operation of the present invention may be better understood with reference to the drawings and the accompanying description.

Referring now to the drawings, Figure 1 is a schematic block diagram of a system according to the present invention for automatically publishing

20 data in a Web page format. Although the present invention is explained with regard to publishing newspaper data, it is understood that this is for the purposes of explanation only and is without any intention of being limiting.

As shown, a system 10 optionally and preferably features different

sources of data, such as a first source **12** which contains new data, for current publication in the newspaper; and a second source **14** which contains archived data. First source **12** and second source **14** may be typically expected to only contain general information about the text itself and the
5 fonts for printing the text, possibly with information about the reproduction of the text for each line thereof. Such limited information is often available because many “on-line” or Web page publications present newspaper pages in PostScript™ or PDF formats. These formats contain information about each character and each line, but do not contain information about high level
10 objects such as classification of the information by article, title, caption, picture and so forth. Furthermore, most archived data is only available for presentation in image formats like TIFF, for example. These image formats contain only the page image at a high resolution.

One of the advantages of the present invention is that archived data
15 can optionally be easily integrated with current sources of data, such that the newspaper which is published in the Web page format can represent a combination of current and previously published information. Second source **14** is shown as microfilm data, with an optional but preferred associated microfilm publisher **16** according to the present invention, for
20 converting the microfilm data into a digital format, by converting the microfilm data to digital images.

Optionally, the scanned microfilm data is preprocessed in order to clean the data, for example in order to improve image quality, crop the black

adages and straighten the images. Preferably, the scanned microfilm format is TIFF, and the digital format data is in the PDF format. Microfilm publisher **16** more preferably performs the following functions. First, microfilm publisher **16** performs optical character recognition (OCR),
 5 including recognition of fonts and coordinates for the text. The recognition of text is important for enabling free text searching and indexing of the newspaper data.

Next, microfilm publisher **16** preferably recognizes pictures, photos and other graphic images. Microfilm publisher **16** also preferably recognizes
 10 vertical and horizontal lines, frames and background images. The output data is then preferably in the PDF format, or alternatively another suitable type of digital data format.

Data which is in a digital format can then optionally and more preferably be converted to a basic internal format. The basic internal format
 15 can then more preferably be converted to a variety of different final formats for publication. Therefore, preferably the digital format data is only converted to a single format before publication in a variety of formats, in order to increase the efficiency of the conversion process.

As shown, the internal format is optionally and preferably XML,
 20 although substantially any other type of mark-up language could also be used. The conversion process is preferably performed by an XML distiller module **18**.

Next, XML distiller module **18** preferably performs intelligent

structure analysis, in order to be able to recognize and define the structures and objects contained in the newspaper data, particularly with regard to each page of the newspaper. Examples of such structures and objects include, but are not limited to, articles, advertisements, titles, and so forth. More preferably, the newspaper objects are classified as one of a plurality of specific entities, which optionally and most preferably are selected from the group consisting of an article, an advertisement, a picture which is not otherwise associated with an article or advertisement, and general data, which covers information that does not fit into one of the preceding categories. Examples of general data include, but are not limited to, crossword puzzles, television guide listings, stock quotes and so forth.

Recognition of the hierarchy for newspaper objects is an important part of the process. One illustrative, non-limiting example of such a hierarchy for recognized newspaper objects is the following: Newspaper -> Section -> Page -> Subsection -> Article -> Photograph -> Caption -> Photographer (by name).

The process of intelligent structure analysis enables the newspaper data to be converted to a series of objects, for more efficient search and retrieval through the Internet or other network.

After the process of intelligent structure analysis has been completed, XML distiller module **18** preferably performs XML encoding of the object data. This process results in a set of enhanced, structured files which combine the original image of the data, optionally in the TIF format as

previously described, but preferably in the GIF and/or JPG formats, with the text and XML information. Each such file thus preferably maintains the visual aspects of the newspaper layout, while enabling far greater functionality to be available through the Web page version of the newspaper.

5 According to preferred embodiments of the present invention, XML distiller module **18** optionally and preferably is able to perform a number of additional functions, for greater flexibility in creating the desired Web page structures. For example, XML distiller module **18** is more preferably able to intelligently create a single Web “page” from multiple page files, for
10 example in order to permit a story object which is printed on multiple pages in the printed newspaper version, to be available on a single Web page in the “on-line” version.

Optionally and more preferably, XML distiller module **18** is able to recognize such features of the printed newspaper page as double pages, and
15 the presence of different sections and subsections in the printed newspaper. Such an analysis is most preferably presented to the user through a graphic user interface (GUI) in a visual representation, for example by displaying each entity with a unique color, and displaying each element with a special hatching pattern and title. The user is then most preferably able to manually
20 edit these intelligent analysis results. Also most preferably, XML distiller module **18** is able to learn while the user is performing such a manual editing process, for example in order to be able to classify a newspaper object properly in the future according to the request of the user.

In addition, XML distiller module **18** is optionally and more preferably able to detect and report “suspicious” results of the intelligent analysis. These results may include possibly incorrectly classified newspaper objects, for example. XML distiller module **18** is then more preferably able
 5 to provide an interface, such as a GUI, to the user for navigating through these suspicious results.

Once the data is ready in the internal published format, such as XML for example, the data is preferably stored in a repository **20** according to the present invention. Repository **20** is preferably a structured database, which
 10 contains the internal format data for publication in a final format.

The basic internal format represents the content of a newspaper repository, such as repository **20** for example. Repository **20** could optionally contain millions of newspapers from many different publishers, derived from formats such as PostScript, PDF, and TIFF. The source files can optionally
 15 be produced by electronic pagination systems like Quark XPress™, which can then generate a PostScript™ or PDF file; or alternatively by scanning data from microfilm or paper and then by converting such scanned data to an image file format such as TIFF for example.

The basic information object of repository **20** is preferably the *entity*.
 20 An entity can be an article, a standalone picture, an advertisement, and so forth, as it is the digitized representation of a self-contained piece of printed content. Repository **20** preferably stores these information objects in two different data formats: a suitable Web page and/or document mark-up

language format, such as XML for example, and one or more image format types.

The version of the entity which is stored in the mark-up language format, such as XML, preferably contains the actual content of the newspaper object, as well as details of the internal structure and relationship(s) between its various components, more preferably for both the content itself and for the visual layout of the content on the printed newspaper page.

A document mark-up language such as XML is particularly preferred for storing this type of information about the entity, as XML tags such as Byline, Caption, Lead, Roof-title, and so forth may optionally be used, which reflect the high-level information structure of the entity. These elements are more preferably comprised of lower-level elements called *primitives*, which are the true building-blocks of repository **20**. A primitive is a rectangular region of a printed newspaper page, which contains textual and/or graphical information. Articles and other entities on the printed newspaper page are optionally and preferably represented as a “puzzle”, or structured collection, of the rectangular primitives from which the printed page is composed. Child elements of articles, like tables or pictures, can also optionally be composed of one or more such primitives.

Primitives preferably comprise lines, words, and quads (which together form broken or multiple-style words). Each word XML tag then optionally and preferably contains attributes such as page coordinates and

font information (supplied as *Font Style Gallery* references). Storing the original position and style of each element in the original document, such as printed newspaper page for example, supports a rich set of applications that can optionally mimic the design of the printed edition. The ability to

5 optionally imitate the format and design of the printed newspaper edition is especially important for publishing magazines on the Internet and other types of documents for which a strong visual appearance is important. Such an ability is also potentially advantageous for printed newspapers which wish to extend the appeal of their printed editions (current and historic) to the web.

10 The meta-data tag for the XML format version of each entity preferably collects knowledge about the environment of the entity, such as information related to the section of the newspaper to which the entity belongs, the page on which the entity is located, the size of the entity, and the article(s) to which the entity is related. However, meta-data more

15 preferably does not include any actual content, but only a description of the entity information or attributes surrounding the content.

 The global *Font Style Gallery* is a preferred feature of the present invention, which contains descriptions of all the font styles (comprised of font types, sizes and colors) in the newspaper issue. The Style Gallery is

20 more preferably shared by all entities, and is most preferably represented as an external unit in the XML format data for each newspaper issue. The Style Gallery is, however, optionally and most preferably unique for each

newspaper issue, thus supporting the dynamic nature of the newspaper's design.

The XML format data in repository **20** is preferably complemented by images, which are snapshots of the original, printed representation of each information object. Repository **20** optionally and more preferably contains a set of images representing the entire newspaper issue, piece by piece, in different resolutions and formats. These images are a powerful tool when combined with the XML format data for each entity, which details each the role and position of each entity on the original printed newspaper page.

Repository **20** preferably stores content both as XML and as images, as previously described, thereby allowing dual presentation. Dual presentation is particularly important and preferred for the construction of archive applications from scanned images. For these archives, the XML format data alone may optionally be insufficient to present the document for high quality display and reading. Such relatively low quality may be caused by the relatively low level of the original font and style recognition, and to error rate caused by the OCR (optical character recognition) process, which may be as high as 10-20% of all characters or even higher. Therefore, in cases where post-OCR scanned images are used as a source of data, images play a very important role, serving as a content holder and enabling the presentation of the original style.

Optionally and more preferably, the internal format data is published in a plurality of different final formats by publication server **22**. These

different formats may optionally include, but are not limited to, any one or more of a mark-up language document such as a document in XML or HTML for example; a wireless-enabled document such as a WML document for example; the ASCII text format; and a format which is suitable for
5 publication through a technology such as Web TV for example.

More preferably, these different final formats are at least partially determined according to the different types of hardware devices which are available for presenting the published data to the viewing user. Examples of such hardware devices include, but are not limited to, media and/or display
10 devices such as Web TV, Pocket PC and WAP-enabled devices such as cellular telephones for example. Therefore, preferably the digital format data is only converted to a single format before publication in a variety of formats, in order to increase the efficiency of the conversion process.

According to preferred embodiments of the present invention,
15 publication server **22** is optionally and preferably able to perform “on the fly” conversions of the basic internal format, and/or the XML data format, into one or more final formats. Such rapid, real-time or “on the fly” conversions provides support for responses to dynamic queries from different terminal devices to repository **20**. In addition, new kinds of
20 supported hardware devices and/or terminal types can optionally easily be performed without changes to repository **20**.

For these preferred embodiments of the present invention, publication server **22** preferably features automatic detection of the type of hardware

device which has submitted the query. Publication server **22** then preferably performs dynamic (XSL based conversions) of pages, entities and elements according to the source of the query. In addition, publication server **22** also preferably supports textual and meta-data search support according to the

5 XML structure of the entity, as previously described. Publication server **22** can then also optionally offer dynamic presentation of search results in XML format, and the dynamic addition of hit elements to XML entities which are discovered, for emphasizing searched words and phrases inside the text of the entity.

10 Optionally and more preferably, a director module **24** is able to manipulate the content of the data which is stored in repository **20**, for example by editing the data. In addition, director module **24** is preferably able to define style sheets and other layout information for the different formats which are published through publication server **22**. Thus, director

15 module **24** most preferably enables the internal format data to be adjusted automatically for publication in each final publication format, in order to most advantageously display the data in each type of format.

Figure 2 is a flowchart of an exemplary method according to the present invention for converting the data into the internal format for

20 publication. In a first part of the method, various structures of the newspaper page are recognized, preferably first by performing the recognition process for each page separately. In step 1, the step of analyzing text and/or graphic elements on the current newspaper page is performed. This analysis is

especially important for digital (postscript sources), which may contain non-standard fonts and multi layer overlapped images. Preferably, this step of analysis includes the steps of preparing a list of text and graphic elements with properties for each element. Next, the visibility and overlapping

5 characteristics for each graphic element are determined. Next, connected lines are located and frames are recognized. Texts with special shadowing effects and/or other special text effects are then preferably located, as are texts which are not visible on the printed page. More preferably, font analysis is then performed in order to understand special symbols (developed

10 as fonts) and non standard ASCII coding of text.

In step 2, text segments are determined. A text segment is a text line or portion of line which lies inside one column of the newspaper page. Preferably, the attributes of the text segments are also determined by using style sheets or layout guidelines.

15 In step 3, text blocks are built. Each text block consists of a set of aligned text segments with the same or similar styles.

Next, in step 4, the graphic blocks are determined from the graphic elements. Each graphic block consists of a set of graphical elements, which are in a single rectangular area.

20 In step 5, preferably a tree of graphic blocks is created, such that each child block is nested inside the corresponding parent block.

In the next portion of the process, the different types of blocks are integrated. In step 6, the text blocks are distributed among graphic blocks.

In step 7, a tree of areas within the layout structure is created as an aggregate of graphic and text blocks which lie within the same area of the layout. Each area preferably has a main graphic block and three arrays: text blocks, graphic blocks and areas.

- 5 As an example, a graphic chart may contain a frame, axis lines, chart paths and text near the graphed data and the axes. In this example, the frame is the main graphic block. The paths of the chart and axes are elements of the graph array, while the text elements are elements of text array. If this chart contains a framed “subchart”, this subchart becomes an element of the
- 10 area array.

In step 8, a hierarchical net is created from these different areas. The net is a graph of the areas, which are then connected by edges which represent the relative location of the areas.

- In a further part of the process, the areas are additionally collected
- 15 into entities. In step 9, the graphic blocks are further processed for separation into vertical and horizontal lines. The horizontal and vertical lines in the newspaper layout play an important role as separators between entities (articles). A portion of these lines are actually curves which contain both some vertical and some horizontal elements. This step requires these
- 20 curves to be separated into horizontal and vertical lines.

In step 10, optionally and preferably, lines are qualified as separated and decorated ambiguities are resolved. For example, certain horizontal and vertical lines act as text decoration, rather than separating articles. Examples

of such lines include, but are not limited to, text underscoring lines, a pair of parallel lines which may be used to decorate a byline, and so forth. This step preferably uses fuzzy logic algorithms to detect decoration lines.

In step 11, separate articles of the newspaper, or other units of
 5 information, are preferably extracted to form each entity. Each entity consists of a set of blocks which represents article, ad, single photo or data. In step 12, net relations beyond and on the left of titles are removed. In step 13, net relations on the right side of titles are removed in special cases.

Steps 11-13 are preferably used to differentiate entities. In step 11, the
 10 net is cut along separation lines, such that the net is now divided into a few separate, unconnected, parts. After that each separate part is tested. If some part contains only one entity, steps 12 and 13 are not performed for this part. Instead, the algorithm passes directly to step 14 for recognition of the internal structure of the entity. If some part of the net contains a plurality of
 15 entities, it is cut beyond, and to the left of, titles in step 12. If after step 12, a part of the net is determined to contain a plurality of entities, such a part is passed to step 13 for cutting on the right side of the title.

In step 14, optionally and preferably, various types of specific units of
 data are recognized, including continuations; pictures and other graphic
 20 images; and captions.

In step 15, entities are created from areas. The reading order is then preferably determined for each entity element . In step 16, any additional ambiguities are preferably resolved.

In a further preferred stage of this method, post processing is performed for all newspaper pages. In step 17, links are created between entities. In step 18, the data is output to the XML format.

Figure 3 shows a portion of an exemplary newspaper page which has been processed according to the method of the present invention. As shown, a newspaper page **30** features a plurality of objects, which are illustrative, non-limiting examples of some of the different types of objects recognized by the previously described process. As shown, newspaper page **30** features an advertisement **32**, an image **34** and a title **36** for an article. For the article itself, there is shown a plurality of body objects **38**. Each body object **38** contains text for the article, arranged in columns as shown.

While the invention has been described with respect to a limited number of embodiments, it will be appreciated that many variations, modifications and other applications of the invention may be made.

WHAT IS CLAIMED IS:

1. A method for automatically publishing data in a final publication format, the method comprising the steps of:
 - (a) analyzing the data to decompose the data into a plurality of objects;
 - (b) converting each object to an internal publication format; and
 - (c) rendering said internal publication format in the final publication format.
2. The method of claim 1, wherein said internal publication format is a mark-up language.
3. The method of claim 2, wherein said mark-up language is XML.
4. The method of claim 3, wherein the final publication format is a mark-up language document.
5. The method of claim 4, wherein the data is in a form of a newspaper.
6. The method of claim 5, wherein step (a) further comprises the

step of decomposing a layout of each page of said newspaper into a plurality of blocks, each block representing an object.

7. The method of claim 6, wherein said layout is decomposed by classifying each object according to a category selected from the group consisting of an article, an advertisement, a picture not otherwise associated with said article or said advertisement, and general data.

8. The method of claim 6, wherein said object is constructed in step (b) from content and at least one attribute of said object in said layout.

9. The method of claim 8, wherein said object is composed of a plurality of primitives, each primitive containing a portion of content and an attribute.

10. The method of claim 9, wherein each attribute is stored in an XML tag.

11. The method of claim 10, wherein at least one attribute describes a relationship between said primitives of said object.

12. The method of claim 1, wherein step (c) is performed according to a type of hardware device for displaying the final publication

format.

13. The method of claim 12, wherein step (c) is performed only after a query from a specific hardware device is received.

14. The method of claim 1, wherein step (a) further comprises the steps of:

- (i) preparing a list of text and/or graphic elements for each object;
- (ii) determining properties of each element; and
- (iii) recognizing structural layout properties of the data.

15. The method of claim 14, wherein step (ii) includes the step of determining visibility and overlap characteristics for each graphic element.

16. The method of claim 14, wherein step (ii) includes the step of determining a special characteristic for each text element.

17. The method of claim 14, wherein the data is in a form of a newspaper, and step (a) further comprises the steps of:

- (iv) determining each text segment for each object; and
- (v) building a text block from a plurality of aligned text segments.

18. The method of claim 17, wherein step (a) further comprises the

steps of:

- (vi) creating a graphic block from a plurality of graphic elements;
- (vii) creating a hierarchy of graphic blocks; and
- (viii) distributing text blocks in said hierarchy of graphic blocks.

19. A system for automatically publishing data in a computerized format, the system comprising:

- (a) a source of the data in a digital format;
- (b) a mark-up language distiller module for converting the data in said digital format to a mark-up language format; and
- (c) a publisher server for converting the data from said mark-up language format to a final publication format.

20. The system of claim 19, wherein said mark-up language distiller module converts the data to a plurality of objects, each object having content and at least one attribute of the data.

21. The system of claim 20, wherein said mark-up language format is XML.

22. The system of claim 21, further comprising:

- (d) a repository for storing said plurality of objects, wherein each object features data in said XML format and an image of the

data.

ABSTRACT

A system and a method for publishing a newspaper page or other data through a Web page, such that the information can be made available more easily through a network such as the Internet. The data is automatically converted to the Web page format by first rendering the newspaper page into a digital format; converting the digital format to a basic internal publishing format; and then publishing the data in any one of a number of different possible publishing formats, including but not limited, a mark-up language document such as a Web page for example. The present invention supports such advanced features as arrangement of the content of the newspaper according to relationships within the information of the content and/or according to the preference(s) of the user by analyzing the newspaper page as a plurality of objects. Each newspaper object may optionally be a title, an article, a picture and/or other graphic advertisement, and so forth.

Figure 1




Figure 2




Figure 2 (con't)





Figure 2 (con't)



-30

32

www.skiitaly.com

The Skiing in depth

Here you will find slopes which are guaranteed to tax even the best of you, with some areas not even offering a "breathing

skiers of relatively limited ability find a place to shine. But here can be quite challenging trails are icy and carved into a crowd of skiers.

Perhaps the skiing at it might be more to your liking. over 2,000M, dare I say it, is pretty easy skiing. The Du provides both intermediate and all the way down to Lacey side the village, and if you do venture up any cable cars in the skiing around Pocol is delight.

A little out of the way as is the skiing around Lagazuoi you get there you are in for a treat. Not only is it the entry point to Alta Badia, but also the Passo Falzarego, it is also home to some of the most pretty forgiving skiing and spectacular views.

The other side (not that a different matter altogether) of the slopes are of decent standard, and there are also which are suitable for novices where you will find a lot of people, who, naturally enough do much posing if they are fear with their skis flapping in

138

38

Docket No.
002/6

Declaration and Power of Attorney For Patent Application

English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled
SYSTEM AND METHOD FOR DATA PUBLICATION THROUGH WEB PAGES

the specification of which

(check one)

☒ is attached hereto.

☐ was filed on _____ as United States Application No. or PCT International

Application Number _____

and was amended on _____

(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d) or Section 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate or PCT International application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)			Priority	Not Claimed
NA				<input type="checkbox"/>
(Number)	(Country)	(Day/Month/Year Filed)		
(Number)	(Country)	(Day/Month/Year Filed)		<input type="checkbox"/>
(Number)	(Country)	(Day/Month/Year Filed)		<input type="checkbox"/>

I hereby claim the benefit under 35 U.S.C. Section 119(e) of any United States provisional application(s) listed below:

60/211,976	June 16, 2000
_____ (Application Serial No.)	_____ (Filing Date)
_____ (Application Serial No.)	_____ (Filing Date)
_____ (Application Serial No.)	_____ (Filing Date)

I hereby claim the benefit under 35 U. S. C. Section 120 of any United States application(s), or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. Section 112, I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, C. F. R., Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

NA		
_____ (Application Serial No.)	_____ (Filing Date)	_____ (Status) (patented, pending, abandoned)
_____ (Application Serial No.)	_____ (Filing Date)	_____ (Status) (patented, pending, abandoned)
_____ (Application Serial No.)	_____ (Filing Date)	_____ (Status) (patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.


POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (list name and registration number)


D'VORAH GRAESER

40,000

Send Correspondence to: DR. D. GRAESER LTD.
C/O THE POLKINGHORNS
9003 FLORIN WAY
UPPER MERIDEN, MD 20772, USA

Direct Telephone Calls to: (name and telephone number)
THE POLKINGHORNS 301-952-1011

Full name of sole or first inventor YONATAN PESACH STERN	
Sole or first inventor's signature X 	Date 14 NOV 00
Residence SIMHA 2, KFAR SABA, ISRAEL	
Citizenship ISRAELI	
Post Office Address SIMHA 2, KFAR SABA, ISRAEL	

Full name of second inventor, if any EMIL SHTEINVL	
Second inventor's signature X 	Date 14 NOV 00
Residence ROTHSCHILD 84/3, KFAR SABA, ISRAEL	
Citizenship ISRAELI	
Post Office Address ROTHSCHILD 84/3, KFAR SABA, ISRAEL	

Each person, concern or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

- ☒ no such person, concern or organization exists.
☐ each such person, concern or organization is listed below.

FULL NAME	_____	_____	_____
ADDRESS	_____	_____	_____
	<input type="checkbox"/> Individual	<input type="checkbox"/> Small Business Concern	<input type="checkbox"/> Nonprofit Organization
FULL NAME	_____	_____	_____
ADDRESS	_____	_____	_____
	<input type="checkbox"/> Individual	<input type="checkbox"/> Small Business Concern	<input type="checkbox"/> Nonprofit Organization
FULL NAME	_____	_____	_____
ADDRESS	_____	_____	_____
	<input type="checkbox"/> Individual	<input type="checkbox"/> Small Business Concern	<input type="checkbox"/> Nonprofit Organization
FULL NAME	_____	_____	_____
ADDRESS	_____	_____	_____
	<input type="checkbox"/> Individual	<input type="checkbox"/> Small Business Concern	<input type="checkbox"/> Nonprofit Organization

Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF PERSON SIGNING: YONATAN PESACH STERN
TITLE OF PERSON SIGNING _____
OTHER THAN OWNER: PRESIDENT
ADDRESS OF PERSON SIGNING: SIMHA 2, KEAR SABA, ISRAEL

SIGNATURE: X [Signature] DATE: 14 NOV 00